

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Lead Alloy with Tin, Silver and/or Antimony**

Revision date: 25.09.2018

Product code: 950103

Page 1 of 11

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Lead Alloy with Tin, Silver and/or Antimony

**Further trade names**

This MSDS covers the following products:

PbSn7

PbSn8

PbSn10

PbSb5

PbAg2

PbSn5Ag2

PbSn5Sb2

Pb &gt;70% Sn 0-30% Ag 0-5% Sb 0-15%

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

soft solder

Anodes for electroplating

**Uses advised against**

any non-intended use.

**1.3. Details of the supplier of the safety data sheet**

Company name: Balver Zinn Josef Jost GmbH &amp; Co. KG

Street: Blintroper Weg 11

Place: D-58802 Balve

Telephone: +49 2375 915-0

Telefax: +49 2375 915-1700

Responsible Department: sds@balverzinn.com

**1.4. Emergency telephone number:** Chemtrec: +44(0) 870-8200418**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Reproductive toxicity: Repr. 1A

Reproductive toxicity: Lact.

Specific target organ toxicity - repeated exposure: STOT RE 1

Hazard Statements:

May damage fertility. May damage the unborn child.

May cause harm to breast-fed children.

Causes damage to organs through prolonged or repeated exposure.

**2.2. Label elements****Regulation (EC) No. 1272/2008****Hazard components for labelling**lead massive [particle diameter  $\geq$  1 mm]**Signal word:** Danger

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Lead Alloy with Tin, Silver and/or Antimony

Revision date: 25.09.2018

Product code: 950103

Page 2 of 11

## Pictograms:



## Hazard statements

H360FD	May damage fertility. May damage the unborn child.
H362	May cause harm to breast-fed children.
H372	Causes damage to organs through prolonged or repeated exposure.

## Precautionary statements

P201	Obtain special instructions before use.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P263	Avoid contact during pregnancy and while nursing.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P501	Dispose of contents/container to local/regional/national/international regulations.

## Additional advice on labelling

For this product, a hazard label is not required according to section 1.3.4 of the CLP regulation.

**2.3. Other hazards**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

## Chemical characterization

solder alloy

## Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
7439-92-1	lead massive [particle diameter >= 1 mm]			> 70 %
	231-100-4	082-014-00-7	01-2119513221-59	
	Repr. 1A, Lact., STOT RE 1; H360FD H362 H372			
7440-31-5	tin			0 - 30 %
	231-141-8		01-2119486474-28	
7440-36-0	Antimony			0 - 15 %
	231-146-5		01-2119475609-24	
7440-22-4	silver			0 - 5 %
	231-131-3		01-2119555669-21	

Full text of H and EUH statements: see section 16.

## Further Information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: lead massive [particle diameter >= 1 mm] CAS n°: 7439-92-1

**SECTION 4: First aid measures**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Lead Alloy with Tin, Silver and/or Antimony**

Revision date: 25.09.2018

Product code: 950103

Page 3 of 11

**4.1. Description of first aid measures****General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

**After inhalation**

In case of accident by inhalation: remove casualty to fresh air and keep at rest. When in doubt or if symptoms are observed, get medical advice.

**After contact with skin**

No special measures are necessary.

The melted product can cause severe burns. After contact with molten product, cool skin area rapidly with cold water. Burns caused by molten material must be treated clinically.

**After contact with eyes**

No special measures are necessary.

**After ingestion**

No special measures are necessary.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Sand  
Extinguishing powder  
D -powder

**Unsuitable extinguishing media**

Extinguishing media which must not be used for safety reasons:

Water  
High power water jet  
Water spray jet

**5.2. Special hazards arising from the substance or mixture**

Can be released in case of fire: Metal oxide smoke, toxic, Lead oxide

**5.3. Advice for firefighters**

In case of fire and/or explosion do not breathe fumes.  
In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

See protective measures under point 7 and 8.

**6.2. Environmental precautions**

No special measures are necessary.

**6.3. Methods and material for containment and cleaning up**

Take up mechanically, placing in appropriate containers for disposal. Clean contaminated objects and areas thoroughly observing environmental regulations.

**6.4. Reference to other sections**

Safe handling: see section 7

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Lead Alloy with Tin, Silver and/or Antimony

Revision date: 25.09.2018

Product code: 950103

Page 4 of 11

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

## Advice on safe handling

Provide adequate ventilation as well as local exhaust at critical locations. Process within closed systems.

Do not breathe smoke. Do not breathe dust.

Wear suitable protective clothing. (See section 8.)

## Advice on protection against fire and explosion

No special fire protection measures are necessary.

## Further information on handling

General protection and hygiene measures: See section 8.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

No special measures are necessary.

## Advice on storage compatibility

Do not store together with: Explosives. Radioactive substances. Infectious substances.

## 7.3. Specific end use(s)

See section 1.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

## Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
-	Antimony and compounds except stibine (as Sb)	-	0.5	-	TWA (8 h)	WEL
-	Lead other than lead alkyls	-	0.15	-	STEL (15 min)	WEL
-	Lead other than lead alkyls	-	-	-	TWA (8 h)	CLAW
-	Lead other than lead alkyls	-	-	-	STEL (15 min)	CLAW
7440-22-4	Silver, metallic	-	0.1	-	TWA (8 h)	WEL
-	Silver, metallic	-	-	-	STEL (15 min)	WEL
-	Tin compounds, inorganic, except SnH <sub>4</sub> , (as Sn)	-	2	-	TWA (8 h)	WEL
-	Tin compounds, inorganic, except SnH <sub>4</sub> , (as Sn)	-	4	-	STEL (15 min)	WEL

## Biological Monitoring Guidance Values (EH40)

CAS No	Substance	Parameter	Value	Test material	Sampling time
7439-92-1	Lead (woman of reproductive capacity)	lead	20 µg/dl	blood	Random

## DNEL/DMEL values

CAS No	Substance	DNEL type	Exposure route	Effect	Value
7440-31-5	tin				

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Lead Alloy with Tin, Silver and/or Antimony**

Revision date: 25.09.2018

Product code: 950103

Page 5 of 11

Consumer DNEL, long-term	inhalation	systemic	3,476 mg/m <sup>3</sup>
Consumer DNEL, acute	inhalation	systemic	3,476 mg/m <sup>3</sup>
Worker DNEL, long-term	inhalation	systemic	11,75 mg/m <sup>3</sup>
Worker DNEL, acute	inhalation	systemic	11,75 mg/m <sup>3</sup>
Consumer DNEL, long-term	dermal	systemic	80 mg/kg bw/day
Worker DNEL, acute	dermal	systemic	133,3 mg/kg bw/day
Consumer DNEL, acute	dermal	systemic	80 mg/kg bw/day
Worker DNEL, long-term	dermal	systemic	133,3 mg/kg bw/day
Consumer DNEL, acute	oral	systemic	80 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	80 mg/kg bw/day
7440-36-0	Antimony		
Worker DNEL, long-term	inhalation	systemic	0,5 mg/m <sup>3</sup>
Worker DNEL, long-term	dermal	systemic	234,7 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	0,1 mg/m <sup>3</sup>
Consumer DNEL, long-term	dermal	systemic	140,8 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	140,8 mg/kg bw/day
7440-22-4	silver		
Consumer DNEL, long-term	oral	systemic	1,2 mg/kg bw/day
Worker DNEL, long-term	inhalation	systemic	0,1 mg/m <sup>3</sup>
Consumer DNEL, long-term	inhalation	systemic	0,04 mg/m <sup>3</sup>

**PNEC values**

CAS No	Substance	Value
Environmental compartment		Value
7440-36-0	Antimony	
Freshwater		0,113 mg/l
Marine water		0,0113 mg/l
Freshwater sediment		11,2 mg/kg
Marine sediment		2,24 mg/kg
Micro-organisms in sewage treatment plants (STP)		2,55 mg/l
Soil		37 mg/kg
7440-22-4	silver	
Soil		1,41 mg/kg
Freshwater		0,00004 mg/l
Marine sediment		438,13 mg/kg
Freshwater sediment		438,13 mg/kg
Marine water		0,00086 mg/l
Micro-organisms in sewage treatment plants (STP)		0,025 mg/l

**8.2. Exposure controls**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Lead Alloy with Tin, Silver and/or Antimony

Revision date: 25.09.2018

Product code: 950103

Page 6 of 11

**Appropriate engineering controls**

Provide adequate ventilation as well as local exhaust at critical locations.  
Process within closed systems.

**Protective and hygiene measures**

Keep away from food, drink and animal feedingstuffs. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Use protective skin cream before handling the product.

**Eye/face protection**

Wear eye/face protection.

**Hand protection**

Wear suitable gloves.  
for coarse soldering works: heat insulating.  
The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.  
In the case of wanting to use the gloves again, clean them before taking off and air them well. Before using check leak tightness / impermeability.  
For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

**Skin protection**

Protective clothing (heat-resistant)

**Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required.  
Provide adequate ventilation as well as local exhaust at critical locations.  
Respiratory protection necessary at:  
Insufficient ventilation.  
exceeding exposure limit values  
smoke generation  
Suitable respiratory protective equipment: Particle filter device (DIN EN 143) Type: P3  
The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.  
Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

**Environmental exposure controls**

This material and its container must be disposed of in a safe way.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state: solid  
Colour: metallic, grey  
Odour: odourless

pH-Value: not applicable

**Changes in the physical state**

	Test method
Melting point:	Pb90Sn10: 268-302 °C N/A
Initial boiling point and boiling range:	N/A
Sublimation point:	not determined

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Lead Alloy with Tin, Silver and/or Antimony

Revision date: 25.09.2018

Product code: 950103

Page 7 of 11

Softening point: not determined

Flash point: not determined

**Flammability**

Solid: not determined

**Explosive properties**

none

Lower explosion limits: not determined

Upper explosion limits: not determined

Ignition temperature: not determined

**Auto-ignition temperature**

Solid: not determined

Decomposition temperature: not determined

**Oxidizing properties**

none

Vapour pressure: not determined

Density: Pb90Sn10: 10,9 g/cm<sup>3</sup> N/A

Bulk density: not determined

Water solubility: insoluble

**Solubility in other solvents**

insoluble

Viscosity / dynamic: not determined

Viscosity / kinematic: not determined

**9.2. Other information**

Solid content: not determined

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No information available.

**10.2. Chemical stability**

The product is chemically stable under recommended conditions of storage, use and temperature.

**10.3. Possibility of hazardous reactions**

No known hazardous reactions.

**10.4. Conditions to avoid**

No information available.

**10.5. Incompatible materials**

No information available.

**10.6. Hazardous decomposition products**

Can be released in case of fire: Metal oxide smoke, toxic, Lead oxide

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Toxicokinetics, metabolism and distribution**

No information available.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Lead Alloy with Tin, Silver and/or Antimony

Revision date: 25.09.2018

Product code: 950103

Page 8 of 11

**Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7439-92-1	lead massive [particle diameter >= 1 mm]				
	oral	LD50 > 2000 mg/kg	Rat	Study report (2003)	OECD Guideline 423
	dermal	LD50 > 2000 mg/kg	Rat	Study report (2003)	OECD Guideline 402
7440-31-5	tin				
	oral	LD50 >2000 mg/kg	Rat	ECHA Dossier	
	dermal	LD50 >2000 mg/kg	Rat	ECHA Dossier	
	inhalation (4 h) aerosol	LC50 (>4,75) mg/l	Rat	ECHA Dossier	
7440-22-4	silver				
	oral	LD50 >2000 mg/kg	Rat	ECHA Dossier	
	dermal	LD50 >2000 mg/kg	Rat	ECHA Dossier	
	inhalation (4 h) aerosol	LC50 >5,16 mg/l	Rat	ECHA Dossier	

**Irritation and corrosivity**

Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Not an irritant.

Serious eye damage/eye irritation: Not an irritant.

**Sensitising effects**

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation: not sensitising.

**Carcinogenic/mutagenic/toxic effects for reproduction**

May damage fertility. May damage the unborn child. (lead massive [particle diameter &gt;= 1 mm])

May cause harm to breast-fed children. (lead massive [particle diameter &gt;= 1 mm])

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Causes damage to organs through prolonged or repeated exposure. (lead massive [particle diameter &gt;= 1 mm])

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Specific effects in experiment on an animal**

No data available

**SECTION 12: Ecological information****12.1. Toxicity**

No data available

**12.2. Persistence and degradability**

The methods for determining the biological degradability are not applicable to inorganic substances.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Lead Alloy with Tin, Silver and/or Antimony

Revision date: 25.09.2018

Product code: 950103

Page 9 of 11

**12.3. Bioaccumulative potential**

No indication of bioaccumulation potential.

**BCF**

CAS No	Chemical name	BCF	Species	Source
7439-92-1	lead massive [particle diameter >= 1 mm]	40000	Asellus meridianus	Freshwater Biology 7

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Other adverse effects**

No data available

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Advice on disposal**

Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process. Control report for waste code/ waste marking according to EAKV:

**Waste disposal number of waste from residues/unused products**

160303 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; inorganic wastes containing hazardous substances; hazardous waste

**Waste disposal number of used product**

160303 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; inorganic wastes containing hazardous substances; hazardous waste

**Waste disposal number of contaminated packaging**

150106 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); mixed packaging

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information****Land transport (ADR/RID)**

<b>14.1. UN number:</b>	Not restricted
<b>14.2. UN proper shipping name:</b>	Not restricted
<b>14.3. Transport hazard class(es):</b>	Not restricted
<b>14.4. Packing group:</b>	Not restricted

**Inland waterways transport (ADN)**

<b>14.1. UN number:</b>	Not restricted
<b>14.2. UN proper shipping name:</b>	Not restricted
<b>14.3. Transport hazard class(es):</b>	Not restricted
<b>14.4. Packing group:</b>	Not restricted

**Marine transport (IMDG)**

<b>14.1. UN number:</b>	Not restricted
<b>14.2. UN proper shipping name:</b>	Not restricted

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Lead Alloy with Tin, Silver and/or Antimony

Revision date: 25.09.2018

Product code: 950103

Page 10 of 11

**14.3. Transport hazard class(es):** Not restricted**14.4. Packing group:** Not restricted**Air transport (ICAO-TI/IATA-DGR)****14.1. UN number:** Not restricted**14.2. UN proper shipping name:** Not restricted**14.3. Transport hazard class(es):** Not restricted**14.4. Packing group:** Not restricted**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

**14.6. Special precautions for user**

Not restricted

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

Not restricted

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 63: lead massive [particle diameter  $\geq$  1 mm]Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)  
(SEVESO III):**Additional information**The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].  
REACH 1907/2006 Appendix XVII, No: 63**National regulatory information**

Employment restrictions:

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.

Water contaminating class (D): - - not water contaminating

**Additional information**

Observe technical data sheet.

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 1,2,16.

Rev. 1.00; 06.05.2015, Initial release

Rev. 1.1; 23.11.2016, Indication of changes - chapter: 1, 2, 3, 6, 7, 8, 15, 16.

Rev. 2.0; 17.04.2018, Changes in chapter: 2, 3, 15.

Rev. 2.1; 03.07.2018, Changes in chapter: 3.

Rev. 2.2; 25.09.2018, Changes in chapter: 2.

**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service

DNEL: Derived No Effect Level

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Lead Alloy with Tin, Silver and/or Antimony**

Revision date: 25.09.2018

Product code: 950103

Page 11 of 11

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration

PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern

TRGS Technische Regeln fuerGefahrstoffe

TSCA: Toxic Substances Control Act

VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe

WGK: Wassergefaehrungsklasse

**Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]**

Classification	Classification procedure
Repr. 1A; H360FD	Calculation method
Lact.; H362	Calculation method
STOT RE 1; H372	Calculation method

**Relevant H and EUH statements (number and full text)**

- H360FD May damage fertility. May damage the unborn child.
- H362 May cause harm to breast-fed children.
- H372 Causes damage to organs through prolonged or repeated exposure.

**Further Information**

Classification according EC regulation 1272/2008 (CLP): - Classification procedure:  
 Health hazards: Calculation method.  
 Environmental hazards: Calculation method.  
 Physical hazards: On basis of test data. and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*