

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Leadfree Solder Wire Tin-Silver or Tin-Silver-Copper Alloy with resin based flux

Revision date: 27.04.2021

Product code: 950202

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Leadfree Solder Wire Tin-Silver or Tin-Silver-Copper Alloy with resin based flux

Further trade names

possible alloys: SN96C; SN96Ce; SN97C; SAC305; SAC387; SCA0703; SCAN-Ge0703; SnAg3,8Cu0,7; SnAg3Cu0,5; SnAg3; SnAg3,5; SnAg4

LF 2220 NC; LF 3135 NC; Brilliant B2012; Brilliant B211; F-SW 26Q; F-SW 32Q; Cobar 393

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Solder wire for soft soldering (leadfree)

Uses advised against

any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name: Balver Zinn Josef Jost GmbH & Co. KG
 Street: Blintroper Weg 11
 Place: D-58802 Balve
 Telephone: +49 2375 915-0
 Responsible Department: cia@balverzinn.com
 Telefax: +49 2375 915-114

1.4. Emergency telephone number: +49 (0) 700 24 112 112 (Contract-ID:BZW)
 from USA/Canada pls call 011 49 700 24 112 112

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements**Regulation (EC) No. 1272/2008****Special labelling of certain mixtures**

EUH210 Safety data sheet available on request.

Additional advice on labelling

Labelling according to Regulation (EC) No. 1272/2008 [CLP]: none

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

No risks worthy of mention. Please observe the information on the safety data sheet at all times.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Chemical characterization**

Solder wire

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7440-31-5	tin			>90 %
	231-141-8		01-2119486474-28	

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Leadfree Solder Wire Tin-Silver or Tin-Silver-Copper Alloy with resin based flux

Revision date: 27.04.2021

Product code: 950202

Page 2 of 11

7440-22-4	silver		0,2 - 5 %
	231-131-3	01-2119555669-21	
65997-06-0	hydrogenated rosin		1-5 %
	266-041-3		
7440-50-8	copper		0 - 1 %
	231-159-6	01-2119480154-42	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
7440-31-5	231-141-8	tin	>90 %
		inhalation: LC50 = (>4,75) mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg	
7440-22-4	231-131-3	silver	0,2 - 5 %
		inhalation: LC50 = >5,16 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg	
65997-06-0	266-041-3	hydrogenated rosin	1-5 %
		oral: LD50 = >5000 mg/kg	
7440-50-8	231-159-6	copper	0 - 1 %
		inhalation: LC50 = >5,11 mg/l (dusts or mists)	

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

No special measures are necessary.

The melted product can cause severe burns. After contact with molten product, cool skin area rapidly with cold water. Burns caused by molten material must be treated clinically.

After contact with eyes

No special measures are necessary.

After ingestion

No special measures are necessary.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Leadfree Solder Wire Tin-Silver or Tin-Silver-Copper Alloy with resin based flux

Revision date: 27.04.2021

Product code: 950202

Page 3 of 11

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Sand
Extinguishing powder
D -powder

Unsuitable extinguishing media

Extinguishing media which must not be used for safety reasons:
Water
High power water jet
Water spray jet

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Gas/vapours, irritant. Carbon monoxide Carbon dioxide (CO₂). Nitrogen oxides (NO_x). Metal oxide smoke, toxic

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes.
In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

See protective measures under point 7 and 8.

For non-emergency personnel

Personal protection equipment: see section 8

For emergency responders

No special measures are necessary.

6.2. Environmental precautions

No special measures are necessary.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).
Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated objects and areas thoroughly observing environmental regulations.

Other information

Take up mechanically, placing in appropriate containers for disposal.
Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation as well as local exhaustion at critical locations.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Leadfree Solder Wire Tin-Silver or Tin-Silver-Copper Alloy with resin based flux

Revision date: 27.04.2021

Product code: 950202

Page 4 of 11

Do not breathe smoke. Do not breathe dust.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Further information on handling

General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

No special measures are necessary.

Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Recommended storage temperature: 20°C

Protect against: frost. UV-radiation/sunlight. heat. Humidity

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7440-50-8	Copper, dusts and mists (as Cu)	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL
7440-50-8	Copper, fume	-	0.2		TWA (8 h)	WEL
7440-22-4	Silver, metallic	-	0.1		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
7440-31-5	tin			
	Consumer DNEL, long-term	inhalation	systemic	3,476 mg/m ³
	Consumer DNEL, acute	inhalation	systemic	3,476 mg/m ³
	Worker DNEL, long-term	inhalation	systemic	11,75 mg/m ³
	Worker DNEL, acute	inhalation	systemic	11,75 mg/m ³
	Consumer DNEL, long-term	dermal	systemic	80 mg/kg bw/day
	Worker DNEL, acute	dermal	systemic	133,3 mg/kg bw/day
	Consumer DNEL, acute	dermal	systemic	80 mg/kg bw/day
	Worker DNEL, long-term	dermal	systemic	133,3 mg/kg bw/day
	Consumer DNEL, acute	oral	systemic	80 mg/kg bw/day
	Consumer DNEL, long-term	oral	systemic	80 mg/kg bw/day
7440-22-4	silver			
	Worker DNEL, long-term	inhalation	systemic	0,1 mg/m ³

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Leadfree Solder Wire Tin-Silver or Tin-Silver-Copper Alloy with resin based flux

Revision date: 27.04.2021

Product code: 950202

Page 5 of 11

Consumer DNEL, long-term	inhalation	systemic	0,04 mg/m ³
Consumer DNEL, long-term	oral	systemic	1,2 mg/kg bw/day
65997-06-0	hydrogenated rosin		
Worker DNEL, long-term	dermal	systemic	17 mg/kg bw/day
Worker DNEL, long-term	inhalation	systemic	117 mg/m ³
Consumer DNEL, long-term	dermal	systemic	10 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	35 mg/m ³
Consumer DNEL, long-term	oral	systemic	10 mg/kg bw/day
7440-50-8	copper		
Worker DNEL, acute	dermal	systemic	273 mg/kg bw/day
Consumer DNEL, acute	dermal	systemic	273 mg/kg bw/day
Consumer DNEL, acute	inhalation	systemic	20 mg/m ³
Worker DNEL, long-term	inhalation	local	1 mg/m ³
Consumer DNEL, long-term	dermal	systemic	137 mg/kg bw/day
Worker DNEL, long-term	dermal	systemic	137 mg/kg bw/day
Worker DNEL, acute	inhalation	systemic	20 mg/m ³
Consumer DNEL, long-term	inhalation	local	1 mg/m ³

PNEC values

CAS No	Substance	Value
Environmental compartment		Value
7440-22-4	silver	
Freshwater		0,00004 mg/l
Marine sediment		438,13 mg/kg
Freshwater sediment		438,13 mg/kg
Marine water		0,00086 mg/l
Micro-organisms in sewage treatment plants (STP)		0,025 mg/l
Soil		1,41 mg/kg
65997-06-0	hydrogenated rosin	
Freshwater		0,0016 mg/l
Marine water		0,00016 mg/l
Freshwater sediment		0,007 mg/kg
Marine sediment		0,0007 mg/kg
Micro-organisms in sewage treatment plants (STP)		1000 mg/l
Soil		0,00045 mg/kg
7440-50-8	copper	
Freshwater		0,0078 mg/l
Marine water		0,0052 mg/l
Freshwater sediment		87 mg/kg
Marine sediment		678 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,23 mg/l
Soil		65 mg/kg

8.2. Exposure controls

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Leadfree Solder Wire Tin-Silver or Tin-Silver-Copper Alloy with resin based flux

Revision date: 27.04.2021

Product code: 950202

Page 6 of 11

**Appropriate engineering controls**

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Keep away from food, drink and animal feedingstuffs. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Use protective skin cream before handling the product.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear suitable gloves.

for coarse soldering works: heat insulating.

The selected protective gloves have to satisfy the specifications of EU Directive EC/2016/425 and the standard EN 374 derived from it.

In the case of wanting to use the gloves again, clean them before taking off and air them well. Before using check leak tightness / impermeability.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Protective clothing (heat-resistant)

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

Insufficient ventilation

Exceeding exposure limit values

Suitable respiratory protective equipment: Particle filter device (DIN EN 143) Type: P2/3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

No special environmental measures are necessary.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	solid	
Colour:	metallic, silver	
Odour:	odourless	
pH-Value:		not applicable

Changes in the physical state

Melting point:	not determined
Boiling point or initial boiling point and boiling range:	not determined
Sublimation point:	not determined
Softening point:	not determined
Flash point:	not determined

Flammability

Solid/liquid:	not determined
---------------	----------------

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Leadfree Solder Wire Tin-Silver or Tin-Silver-Copper Alloy with resin based flux

Revision date: 27.04.2021

Product code: 950202

Page 7 of 11

Explosive properties

none

Lower explosion limits: not determined

Upper explosion limits: not determined

Auto-ignition temperature: not determined

Self-ignition temperature

Solid:

not determined

Decomposition temperature: not determined

Oxidizing properties

none

Vapour pressure: not determined

Density: not determined

Bulk density: not determined

Water solubility: insoluble

Solubility in other solvents

insoluble

Viscosity / dynamic: not determined

Viscosity / kinematic: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity**10.1. Reactivity**

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

Can be released in case of fire: Metal oxide smoke, toxic

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Toxicokinetics, metabolism and distribution**

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Leadfree Solder Wire Tin-Silver or Tin-Silver-Copper Alloy with resin based flux

Revision date: 27.04.2021

Product code: 950202

Page 8 of 11

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7440-31-5	tin				
	oral	LD50 >2000 mg/kg	Rat	ECHA Dossier	
	dermal	LD50 >2000 mg/kg	Rat	ECHA Dossier	
	inhalation (4 h) aerosol	LC50 (>4,75) mg/l	Rat	ECHA Dossier	
7440-22-4	silver				
	oral	LD50 >2000 mg/kg	Rat	ECHA Dossier	
	dermal	LD50 >2000 mg/kg	Rat	ECHA Dossier	
	inhalation (4 h) aerosol	LC50 >5,16 mg/l	Rat	ECHA Dossier	
65997-06-0	hydrogenated rosin				
	oral	LD50 >5000 mg/kg	Rat.	RTECS	
7440-50-8	copper				
	inhalation (4 h) aerosol	LC50 >5,11 mg/l	Rat	ECHA Dossier	

Irritation and corrosivity

Based on available data, the classification criteria are not met.
 Skin corrosion/irritation: Not an irritant.
 Serious eye damage/eye irritation: Not an irritant.

Sensitising effects

Based on available data, the classification criteria are not met.
 Respiratory or skin sensitisation: not sensitising.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available

SECTION 12: Ecological information**12.1. Toxicity**

No data available

12.2. Persistence and degradability

No data available

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
65997-06-0	hydrogenated rosin			

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Leadfree Solder Wire Tin-Silver or Tin-Silver-Copper Alloy with resin based flux

Revision date: 27.04.2021

Product code: 950202

Page 9 of 11

	OECD Guideline 301 B	0,95%	28	ECHA Dossier
	Product is not easily biodegradable.			

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

List of Wastes Code - residues/unused products

160304 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; inorganic wastes other than those mentioned in 16 03 03

List of Wastes Code - used product

160304 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; inorganic wastes other than those mentioned in 16 03 03

List of Wastes Code - contaminated packaging

150106 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); mixed packaging

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)****14.1. UN number:** Not restricted**14.2. UN proper shipping name:** Not restricted**14.3. Transport hazard class(es):** Not restricted**14.4. Packing group:** Not restricted**Inland waterways transport (ADN)****14.1. UN number:** Not restricted**14.2. UN proper shipping name:** Not restricted**14.3. Transport hazard class(es):** Not restricted**14.4. Packing group:** Not restricted**Marine transport (IMDG)****14.1. UN number:** Not restricted**14.2. UN proper shipping name:** Not restricted**14.3. Transport hazard class(es):** Not restricted

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Leadfree Solder Wire Tin-Silver or Tin-Silver-Copper Alloy with resin based flux

Revision date: 27.04.2021

Product code: 950202

Page 10 of 11

14.4. Packing group: Not restricted**Air transport (ICAO-TI/IATA-DGR)****14.1. UN number:** Not restricted**14.2. UN proper shipping name:** Not restricted**14.3. Transport hazard class(es):** Not restricted**14.4. Packing group:** Not restricted**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Not restricted

14.7. Maritime transport in bulk according to IMO instruments

Not restricted

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)
(SEVESO III):**Additional information**Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)
The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].
REACH 1907/2006 Appendix XVII, No (mixture): not relevant**National regulatory information**

Water hazard class (D): - - non-hazardous to water

Additional information

Observe technical data sheet.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**Rev. 1.00; 22.05.2015, Initial release
Rev. 1.1; 24.11.2016, Indication of changes - chapter: 1, 2, 3, 16.
Rev. 2.0; 13.04.2018, Changes in chapter: 15
Rev. 2.1; 18.02.2019, Indication of changes - chapter: 2
Rev. 2.2; 27.04.2021, Indication of changes - chapter: 1-16**Abbreviations and acronyms**ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
AGW: Arbeitsplatzgrenzwert
CAS: Chemical Abstracts Service
CLP: Classification, Labelling and Packaging of substances and mixtures
DNEL: Derived No Effect Level
d: day(s)
EINECS: European Inventory of Existing Commercial chemical Substances
ELINCS: European List of Notified Chemical Substances
ECHA: European Chemicals Agency
EWC: European Waste Catalogue

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Leadfree Solder Wire Tin-Silver or Tin-Silver-Copper Alloy with resin based flux

Revision date: 27.04.2021

Product code: 950202

Page 11 of 11

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
 ICAO: International Civil Aviation Organization
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)
 h: hour
 LOAEL: Lowest observed adverse effect level
 LOAEC: Lowest observed adverse effect concentration
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 NOAEL: No observed adverse effect level
 NOAEC: No observed adverse effect concentration
 NLP: No-Longer Polymers
 N/A: not applicable
 OECD: Organisation for Economic Co-operation and Development
 PNEC: predicted no effect concentration
 PBT: Persistent bioaccumulative toxic
 RID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 REACH: Registration, Evaluation, Authorisation of Chemicals
 SVHC: substance of very high concern
 TRGS: Technische Regeln für Gefahrstoffe
 UN: United Nations
 VOC: Volatile Organic Compounds

Relevant H and EUH statements (number and full text)

EUH210 Safety data sheet available on request.

Further Information

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:
 Health hazards: Calculation method.
 Environmental hazards: Calculation method.
 Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)