

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lotpaste JEAN-151 SN100C T3/T4/T5

Revision date: 16.12.2019

Product code: 950632

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Lotpaste JEAN-151 SN100C T3/T4/T5

Further trade names

This MSDS covers the following products:

Solder Paste JEAN-151 SN100C T3/T4/T5

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Solder paste

Uses advised against

any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name:	Balver Zinn Josef Jost GmbH & Co. KG	
Street:	Blintroper Weg 11	
Place:	D-58802 Balve	
Telephone:	+49 2375 915-0	Telefax: +49 2375 915-114
Responsible Department:	cia@BalverZinn.com	

1.4. Emergency telephone number: Chemtrec: +44(0) 870-8200418**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Serious eye damage/eye irritation: Eye Dam. 1

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Causes serious eye damage.

Harmful to aquatic life with long lasting effects.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

2-(2-hexyloxyethoxy)ethanol, 3,6-dioxa-1-dodecanol, 3,6-dioxadodecan-1-ol, DEGHE, diethylene glycol monohexyl ether, hexyl carbitol

Signal word: Danger**Pictograms:****Hazard statements**

H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lotpaste JEAN-151 SN100C T3/T4/T5

Revision date: 16.12.2019

Product code: 950632

Page 2 of 13

P310 present and easy to do. Continue rinsing.
 P501 Immediately call a POISON CENTER/doctor.
 Dispose of contents/container to local/regional/national/international regulations.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7440-31-5	tin			85 - < 90 %
	231-141-8		01-2119486474-28	
112-59-4	2-(2-hexyloxyethoxy)ethanol, 3,6-dioxa-1-dodecanol, 3,6-dioxadodecan-1-ol, DEGHE, diethylene glycol monoethyl ether, hexyl carbitol			3 - < 5 %
	203-988-3	603-175-00-7		
	Acute Tox. 4, Eye Dam. 1; H312 H318			
144413-22-9	complex reaction mass of Chinese gum rosin post reacted with acrylic acid			3 - < 5 %
	434-230-1	607-682-00-4		
	Aquatic Chronic 4; H413			
7440-50-8	Copper			0.5 - < 1 %
	231-159-6		01-2119480154-42	
	Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-alkandiylobis[12-hydroxyoctadecanamide]			0.2 - < 0.3 %
	484-050-2		01-0000020228-74	
	Aquatic Acute 1, Aquatic Chronic 1; H400 H410			
112-25-4	2-hexyloxyethanol, ethylene glycol monoethyl ether, n-hexylglycol			0.1 - < 0.2 %
	203-951-1	603-178-00-3		
	Acute Tox. 3, Acute Tox. 4, Skin Corr. 1B; H311 H302 H314			

Full text of H and EUH statements: see section 16.

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lotpaste JEAN-151 SN100C T3/T4/T5

Revision date: 16.12.2019

Product code: 950632

Page 3 of 13

After contact with skin

Wash immediately with: Water and soap. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Let water be drunk in little sips (dilution effect). Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

refer to chapter 2 and 11.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**Sand
Extinguishing powder
D -powder**Unsuitable extinguishing media**Extinguishing media which must not be used for safety reasons:
Water
High power water jet
Water spray jet**5.2. Special hazards arising from the substance or mixture**Can be released in case of fire: Gas/vapours, irritant. Carbon monoxide Carbon dioxide (CO₂). Nitrogen oxides (NO_x).Metal oxide smoke, toxic.**5.3. Advice for firefighters**In case of fire and/or explosion do not breathe fumes.
In case of fire: Wear self-contained breathing apparatus.**Additional information**Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
Use water spray jet to protect personnel and to cool endangered containers.
Co-ordinate fire-fighting measures to the fire surroundings.**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**Ventilate affected area.
Do not breathe smoke. Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.
Wear personal protection equipment. (See section 8.)**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning upTake up mechanically.
Treat the recovered material as prescribed in the section on waste disposal.
Clean contaminated objects and areas thoroughly observing environmental regulations.**6.4. Reference to other sections**

Safe handling: see section 7

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lotpaste JEAN-151 SN100C T3/T4/T5

Revision date: 16.12.2019

Product code: 950632

Page 4 of 13

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation.

Do not breathe smoke. Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

Wear suitable protective clothing. (See section 8.)

Advice on protection against fire and explosion

Usual measures for fire prevention.

Further information on handling

General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Keep/Store only in original container.

Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Protect against: UV-radiation/sunlight. heat. Humidity frost.

storage temperature: refer to specifications.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7440-50-8	Copper, dusts and mists (as Cu)	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL
-	Tin compounds, inorganic, except SnH ₄ , (as Sn)	-	2		TWA (8 h)	WEL
		-	4		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
7440-31-5	tin			
Consumer DNEL, long-term		inhalation	systemic	3,476 mg/m ³
Consumer DNEL, acute		inhalation	systemic	3,476 mg/m ³
Worker DNEL, long-term		inhalation	systemic	11,75 mg/m ³
Worker DNEL, acute		inhalation	systemic	11,75 mg/m ³
Consumer DNEL, long-term		dermal	systemic	80 mg/kg bw/day

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lotpaste JEAN-151 SN100C T3/T4/T5

Revision date: 16.12.2019

Product code: 950632

Page 5 of 13

Worker DNEL, acute	dermal	systemic	133,3 mg/kg bw/day
Consumer DNEL, acute	dermal	systemic	80 mg/kg bw/day
Worker DNEL, long-term	dermal	systemic	133,3 mg/kg bw/day
Consumer DNEL, acute	oral	systemic	80 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	80 mg/kg bw/day
112-59-4	2-(2-hexyloxyethoxy)ethanol, 3,6-dioxa-1-dodecanol, 3,6-dioxadodecan-1-ol, DEGHE, diethylene glycol monoethyl ether, hexyl carbitol		
Worker DNEL, long-term	inhalation	systemic	27,2 mg/m ³
Worker DNEL, long-term	dermal	systemic	8,3 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	8,1 mg/m ³
Consumer DNEL, long-term	dermal	systemic	5 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	2,5 mg/kg bw/day
7440-50-8	Copper		
Worker DNEL, long-term	dermal	systemic	0,041 mg/kg bw/day
Worker DNEL, acute	dermal	systemic	0,082 mg/kg bw/day
	Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-alkandiybis[12-hydroxyoctadecanamide]		
Worker DNEL, long-term	inhalation	systemic	9,8 mg/m ³
Worker DNEL, long-term	dermal	systemic	14 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	2,9 mg/m ³
Consumer DNEL, long-term	dermal	systemic	8,3 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	8,3 mg/kg bw/day
112-25-4	2-hexyloxyethanol, ethylene glycol monoethyl ether, n-hexylglycol		
Worker DNEL, long-term	inhalation	systemic	18,4 mg/m ³
Worker DNEL, long-term	dermal	systemic	9,3 mg/kg bw/day
Worker DNEL, acute	dermal	systemic	18,5 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	2,9 mg/m ³
Consumer DNEL, long-term	dermal	systemic	4,63 mg/kg bw/day
Consumer DNEL, acute	dermal	systemic	9,25 mg/kg bw/day
Consumer DNEL, acute	oral	systemic	0,49 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0,24 mg/kg bw/day

PNEC values

CAS No	Substance	Value
112-59-4	2-(2-hexyloxyethoxy)ethanol, 3,6-dioxa-1-dodecanol, 3,6-dioxadodecan-1-ol, DEGHE, diethylene glycol monoethyl ether, hexyl carbitol	
	Freshwater	1,963 mg/l
	Marine water	0,196 mg/l

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lotpaste JEAN-151 SN100C T3/T4/T5

Revision date: 16.12.2019

Product code: 950632

Page 6 of 13

Freshwater sediment	10,7 mg/kg
Marine sediment	1,07 mg/kg
Micro-organisms in sewage treatment plants (STP)	10 mg/l
Soil	0,995 mg/kg
7440-50-8	Copper
Freshwater	0,0078 mg/l
Marine water	0,0052 mg/l
Freshwater sediment	87 mg/kg
Marine sediment	676 mg/kg
Micro-organisms in sewage treatment plants (STP)	230 mg/l
Soil	65,5 mg/kg
	Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-alkandiylbis[12-hydroxyoctadecanamide]
Freshwater	0,000146 mg/l
Soil	66,576 mg/kg
Marine sediment	5,554 mg/kg
Freshwater sediment	55,54 mg/kg
Micro-organisms in sewage treatment plants (STP)	10 mg/l
Marine water	0,0000146 mg/l
112-25-4	2-hexyloxyethanol, ethylene glycol monoethyl ether, n-hexylglycol
Freshwater	0,14 mg/l
Marine water	0,014 mg/l
Micro-organisms in sewage treatment plants (STP)	75 mg/l
Freshwater sediment	0,644 mg/kg
Marine sediment	0,0644 mg/kg
Soil	0,0467 mg/kg

8.2. Exposure controls



Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

Protective and hygiene measures

The usual precautions for handling chemicals should be considered.

Keep away from food, drink and animal feedingstuffs.

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Protect skin by using skin protective cream. Take off contaminated clothing.

Eye/face protection

Recommended eye protection brand: Tightly sealed safety glasses. (DIN EN 166)

Hand protection

In case of prolonged or frequently repeated skin contact: Wear suitable gloves.

for coarse soldering works: heat insulating.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lotpaste JEAN-151 SN100C T3/T4/T5

Revision date: 16.12.2019

Product code: 950632

Page 7 of 13

EN 374 derived from it.

In the case of wanting to use the gloves again, clean them before taking off and air them well. Before using check leak tightness / impermeability.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Protective clothing (heat-resistant)

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

Insufficient ventilation.

Exceeding exposure limit values

Suitable respiratory protective equipment: Particle filter device (DIN EN 143) Type: P2/3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

This material and its container must be disposed of in a safe way.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	pasty
Colour:	metallic, grey
Odour:	characteristic.
pH-Value:	not determined

Changes in the physical state

Melting point:	227 °C
Initial boiling point and boiling range:	not determined
Flash point:	not determined

Explosive properties

none

Lower explosion limits:	not determined
Upper explosion limits:	not determined
Decomposition temperature:	not determined

Oxidizing properties

none.

Vapour pressure: (at 20 °C)	not determined
Density:	not determined
Water solubility:	not miscible

Solubility in other solvents

not determined

Viscosity / dynamic: (at 20 °C)	not determined
Viscosity / kinematic: (at 20 °C)	not determined

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lotpaste JEAN-151 SN100C T3/T4/T5

Revision date: 16.12.2019

Product code: 950632

Page 8 of 13

Flow time: not determined

Vapour density: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Reacts with : Strong acid, Oxidising agent

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong. Strong acid. strong alkalis.

10.6. Hazardous decomposition products

Can be released in case of fire: Gas/vapours, irritant. Carbon monoxide Carbon dioxide (CO₂). Nitrogen oxides (NO_x). Metal oxide smoke, toxic.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicokinetics, metabolism and distribution

No data available.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7440-31-5	tin				
	oral	LD50 >2000 mg/kg	Rat	ECHA Dossier	
	dermal	LD50 >2000 mg/kg	Rat	ECHA Dossier	
	inhalation (4 h) aerosol	LC50 (>4,75) mg/l	Rat	ECHA Dossier	
112-59-4	2-(2-hexyloxyethoxy)ethanol, 3,6-dioxa-1-dodecanol, 3,6-dioxadodecan-1-ol, DEGHE, diethylene glycol monohexyl ether, hexyl carbitol				
	dermal	ATE 1100 mg/kg			
144413-22-9	complex reaction mass of Chinese gum rosin post reacted with acrylic acid				
	oral	LD50 >2000 mg/kg	Rat	ECHA Dossier	
	Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-alkandiybis[12-hydroxyoctadecanamide]				
	oral	LD50 >2000 mg/kg	Rat	ECHA Dossier	

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lotpaste JEAN-151 SN100C T3/T4/T5

Revision date: 16.12.2019

Product code: 950632

Page 9 of 13

	dermal	LD50 mg/kg	>2000		ECHA Dossier	
	inhalation aerosol	LC50 mg/l	(>6,3)		ECHA Dossier	
112-25-4	2-hexyloxyethanol, ethylene glycol monoethyl ether, n-hexylglycol					
	oral	LD50 mg/kg	738	Rat. female. (OECD 401)	ECHA Dossier	
	dermal	LD50 mg/kg	757	Rabbit. male. (OECD 402)	ECHA Dossier	

Irritation and corrosivity

Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
112-59-4	2-(2-hexyloxyethoxy)ethanol, 3,6-dioxa-1-dodecanol, 3,6-dioxadodecan-1-ol, DEGHE, diethylene glycol monoethyl ether, hexyl carbitol					
	Acute fish toxicity	LC50	200 mg/l	96 h	Pimephales sp. (OECD 203)	ECHA Dossier
	Acute algae toxicity	ErC50	147 mg/l	96 h	Desmodesmus subspicatus	ECHA Dossier
	Acute crustacea toxicity	EC50	>100 mg/l	48 h	Daphnia magna (OECD 202)	ECHA Dossier
144413-22-9	complex reaction mass of Chinese gum rosin post reacted with acrylic acid					
	Acute algae toxicity	ErC50	(>0,49) mg/l	72 h	Desmodesmus subspicatus	ECHA Dossier
	Acute crustacea toxicity	EC50	(>1) mg/l	48 h	Daphnia magna	ECHA Dossier
	Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-alkandiylibis[12-hydroxyoctadecanamide]					
	Acute fish toxicity	LC50	(>0,024) mg/l	96 h	Cyprinus carpio	ECHA Dossier
	Acute algae toxicity	ErC50	(0,025) mg/l	72 h	Selenastrum capricornutum	ECHA Dossier
	Acute crustacea toxicity	EC50	(>0,024) mg/l	48 h	Daphnia magna	ECHA Dossier

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lotpaste JEAN-151 SN100C T3/T4/T5

Revision date: 16.12.2019

Product code: 950632

Page 10 of 13

	Algae toxicity	NOEC mg/l	(0,0073)	3 d	Algae	ECHA Dossier	
	Crustacea toxicity	NOEC mg/l	(>0,024)	21 d	Daphnia magna	ECHA Dossier	
112-25-4	2-hexyloxyethanol, ethylene glycol monoethyl ether, n-hexylglycol						
	Acute fish toxicity	LC50	140 mg/l	96 h	Pimephales promelas	ECHA Dossier	
	Acute algae toxicity	ErC50	147 mg/l	96 h	Desmodesmus subspicatus	ECHA Dossier	
	Acute crustacea toxicity	EC50	145 mg/l	48 h	Daphnia magna	ECHA Dossier	

12.2. Persistence and degradability

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
144413-22-9	complex reaction mass of Chinese gum rosin post reacted with acrylic acid			
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	25%	28	ECHA Dossier
	Not readily biodegradable (according to OECD criteria)			
	Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-alkandylbis[12-hydroxyoctadecanamide]			
	no guideline followed	7%	28	MSDS extern.
	Product is not easily biodegradable.			
112-25-4	2-hexyloxyethanol, ethylene glycol monoethyl ether, n-hexylglycol			
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	96,8%	20	ECHA Dossier
	Easily biodegradable (concerning to the criteria of the OECD)			

12.3. Bioaccumulative potential**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
	Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-alkandylbis[12-hydroxyoctadecanamide]	>6,5
112-25-4	2-hexyloxyethanol, ethylene glycol monoethyl ether, n-hexylglycol	1,86

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lotpaste JEAN-151 SN100C T3/T4/T5

Revision date: 16.12.2019

Product code: 950632

Page 11 of 13

List of Wastes Code - residues/unused products

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

List of Wastes Code - used product

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150202 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; absorbents, filter materials, wiping cloths and protective clothing; absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.
Recommended cleaning agent: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

See section 8.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant.

SECTION 15: Regulatory information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lotpaste JEAN-151 SN100C T3/T4/T5

Revision date: 16.12.2019

Product code: 950632

Page 12 of 13

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**EU regulatory information**

2010/75/EU (VOC):	No information available.
2004/42/EC (VOC):	No information available.
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)

Additional information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].
REACH 1907/2006 Appendix XVII, No: not relevant

National regulatory information

Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).
Water contaminating class (D):	2 - clearly water contaminating

Additional information

Observe technical data sheet.

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

SECTION 16: Other information**Changes**

Rev. 1.00; Initial release 16.12.2019

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
CAS Chemical Abstracts Service
DNEL: Derived No Effect Level
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)
LOAEL: Lowest observed adverse effect level
LOAEC: Lowest observed adverse effect concentration
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
NOAEL: No observed adverse effect level
NOAEC: No observed adverse effect concentration
NTP: National Toxicology Program
N/A: not applicable
OSHA: Occupational Safety and Health Administration
PNEC: predicted no effect concentration
PBT: Persistent bioaccumulative toxic
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
SARA: Superfund Amendments and Reauthorization Act
SVHC: substance of very high concern

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lotpaste JEAN-151 SN100C T3/T4/T5

Revision date: 16.12.2019

Product code: 950632

Page 13 of 13

TRGS Technische Regeln fuer Gefahrstoffe
TSCA: Toxic Substances Control Act
VOC: Volatile Organic Compounds
VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe
WGK: Wassergefaehrungsklasse

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Eye Dam. 1; H318	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Further Information

Classification according EC regulation 1272/2008 (CLP): - Classification procedure:
Health hazards: Calculation method.
Environmental hazards: Calculation method.
Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)