

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Balver Braid - Desoldering Flux coated braid

Revision date: 28/03/2023

Product code: 950815

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Balver Braid - Desoldering Flux coated braid

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**Desoldering stranded wire - copper stranded wire impregnated with flux
For industrial use only**1.3. Details of the supplier of the safety data sheet**

| | | |
|--------------------------|--|------------------------------|
| Company name: | BALVER ZINN | |
| | Josef Jost GmbH & Co. KG | |
| Street: | Blintroper Weg 11 | |
| Place: | D-58802 Balve | |
| Telephone: | +49 2375 915 - 0 | Telefax: +49 2375 915 - 1700 |
| e-mail: | cia@balverzinn.com | |
| e-mail (Contact person): | SDS@balverzinn.com | |
| Internet: | www.balverzinn.com | |
| Responsible Department: | Product Safety Department +49 2375 915-199 | |
| | Only available during office hours. | |

1.4. Emergency telephone number:+49 700 24 112 112 or +1 872 588 8271
(Contract-ID: BZW)**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**Acute Tox. 4; H302
Aquatic Acute 1; H400
Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008****Signal word:** Warning**Pictograms:****Hazard statements**H302 Harmful if swallowed.
H400 Very toxic to aquatic life.**Precautionary statements**P264 Wash ... thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P391 Collect spillage.
P501 Dispose of contents/container to local/regional/national/international regulations.**2.3. Other hazards**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Balver Braid - Desoldering Flux coated braid

Revision date: 28/03/2023

Product code: 950815

Page 2 of 11

For information or further instructions, see also section 11 or 12.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous components**

| CAS No | Chemical name | | | Quantity |
|-----------|---|----------|------------------|----------|
| | EC No | Index No | REACH No | |
| | Classification (Regulation (EC) No 1272/2008) | | | |
| 7440-50-8 | Copper (< 1 mm) | | | >= 90 % |
| | 231-159-6 | | 01-2119480154-42 | |
| | Aquatic Acute 1, Aquatic Chronic 2; H400 H411 | | | |
| 4196-86-5 | Pentaerythritol tetrabenzoate | | | <= 2,1 % |
| | 224-079-8 | | | |
| | Acute Tox. 4; H302 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|-----------|---|-------------------------------|----------|
| | Specific Conc. Limits, M-factors and ATE | | |
| 7440-50-8 | 231-159-6 | Copper (< 1 mm) | >= 90 % |
| | dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2500 mg/kg Aquatic Acute 1; H400: M=10000 | | |
| 4196-86-5 | 224-079-8 | Pentaerythritol tetrabenzoate | <= 2,1 % |
| | oral: LD50 = 2000 mg/kg | | |

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink 1 glass of water. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Balver Braid - Desoldering Flux coated braid

Revision date: 28/03/2023

Product code: 950815

Page 3 of 11

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon dioxide (CO₂). Carbon monoxide (CO).Metal oxide smoke, toxic

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid dust formation. Do not breathe dust.
Provide adequate ventilation.
Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

For cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear personal protection equipment (refer to section 8).

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Balver Braid - Desoldering Flux coated braid

Revision date: 28/03/2023

Product code: 950815

Page 4 of 11

Occupational exposure limits

| CAS No | Substance | ppm | mg/m ³ | fib/cm ³ | Category | Origin |
|-----------|--------------|-----|-------------------|---------------------|-----------|--------|
| 7440-50-8 | Copper, fume | - | 0.2 | | TWA (8 h) | |

DNEL/DMEL values

| CAS No | Substance | Exposure route | Effect | Value |
|--------------------------|-----------------|----------------|----------|---------------------|
| 7440-50-8 | Copper (< 1 mm) | | | |
| Worker DNEL, long-term | | dermal | systemic | 137 mg/kg bw/day |
| Worker DNEL, acute | | dermal | systemic | 273 mg/kg bw/day |
| Consumer DNEL, long-term | | inhalation | local | 1 mg/m ³ |
| Consumer DNEL, acute | | inhalation | local | 1 mg/m ³ |
| Consumer DNEL, long-term | | dermal | systemic | 137 mg/kg bw/day |
| Consumer DNEL, acute | | dermal | systemic | 273 mg/kg bw/day |
| Consumer DNEL, long-term | | oral | systemic | 0,041 mg/kg bw/day |

PNEC values

| CAS No | Substance | Value |
|--|-----------------|-------------|
| 7440-50-8 | Copper (< 1 mm) | |
| Freshwater | | 0,0078 mg/l |
| Marine water | | 0,0052 mg/l |
| Freshwater sediment | | 87 mg/kg |
| Marine sediment | | 676 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 0,23 mg/l |
| Soil | | 65 mg/kg |

8.2. Exposure controls**Appropriate engineering controls**

Ensure adequate ventilation.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Wear eye/face protection. Dust protection goggles.

Hand protection

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time \geq 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time \geq 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time \geq 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time \geq 8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time \geq 8 h

The selected protective gloves have to satisfy the specifications of EU Directive EC/2016/425 and the standard EN 374 derived from it.

Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Balver Braid - Desoldering Flux coated braid

Revision date: 28/03/2023

Product code: 950815

Page 5 of 11

Skin protection

Use of protective clothing. Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Respiratory protection

In case of inadequate ventilation wear respiratory protection. With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

- Exceeding exposure limit values
- Generation/formation of dust

Suitable respiratory protective equipment: particulates filter device (DIN EN 143). type: P1-3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

| | | |
|---|-----------|------------------------------------|
| Physical state: | solid | |
| Colour: | various | |
| Odour: | odourless | |
| Melting point/freezing point: | | not determined |
| Boiling point or initial boiling point and boiling range: | | not determined |
| Flammability: | | not determined |
| Lower explosion limits: | | not determined |
| Upper explosion limits: | | not determined |
| Flash point: | | not determined |
| Auto-ignition temperature: | | not determined |
| Decomposition temperature: | | not determined |
| pH-Value: | | not determined |
| Water solubility: | | not determined |
| Solubility in other solvents | | not determined |
| Partition coefficient n-octanol/water: | | SECTION 12: Ecological information |
| Vapour pressure: | | not determined |
| Density: | | not determined |
| Relative vapour density: | | not determined |

9.2. Other information**Information with regard to physical hazard classes**

Explosive properties

The product is not: Explosive. Dust clouds may present an explosion hazard.

Self-ignition temperature

Solid: not determined

Oxidizing properties

none

Other safety characteristics

Evaporation rate: not determined

Solid content: not determined

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Balver Braid - Desoldering Flux coated braid

Revision date: 28/03/2023

Product code: 950815

Page 6 of 11

SECTION 10: Stability and reactivity**10.1. Reactivity**

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.
Refer to chapter 10.5.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

10.6. Hazardous decomposition productsCan be released in case of fire: Carbon dioxide (CO₂). Carbon monoxide (CO).Metal oxide smoke, toxic**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**

The product has not been tested.

ATEmix calculated

ATE (oral) 95238,1 mg/kg

| CAS No | Chemical name | | | | |
|-----------|-------------------------------|-------------------|---------|--------------|--------|
| | Exposure route | Dose | Species | Source | Method |
| 7440-50-8 | Copper (< 1 mm) | | | | |
| | oral | LD50 > 2500 mg/kg | Rat | ECHA Dossier | WoE |
| | dermal | LD50 > 2000 mg/kg | Rat | ECHA Dossier | WoE |
| 4196-86-5 | Pentaerythritol tetrabenzoate | | | | |
| | oral | LD50 2000 mg/kg | Rat | ECHA Dossier | |

Irritation and corrosivity

The product has not been tested.

Sensitising effects

The product has not been tested.

Carcinogenic/mutagenic/toxic effects for reproduction

No data available

STOT-repeated exposure

No data available .

SECTION 12: Ecological information**12.1. Toxicity**

Very toxic to aquatic life.
Toxic to aquatic life with long lasting effects.

according to Regulation (EC) No 1907/2006

Balver Braid - Desoldering Flux coated braid

Revision date: 28/03/2023

Product code: 950815

Page 7 of 11

| CAS No | Chemical name | | | | | |
|-----------|--------------------------|--------------------------|--------|------------------|--------------|-------------|
| | Aquatic toxicity | Dose | [h][d] | Species | Source | Method |
| 7440-50-8 | Copper (< 1 mm) | | | | | |
| | Acute fish toxicity | LC50 [0,004-1,1] mg/l | 96 h | Fish | ECHA Dossier | READ ACROSS |
| | Acute algae toxicity | ErC50 [0,018-0,987] mg/l | | algae (72-96h) | ECHA Dossier | READ ACROSS |
| | Acute crustacea toxicity | EC50 [0,001-0,792] mg/l | 48 h | daphnia | ECHA Dossier | READ ACROSS |
| | Fish toxicity | NOEC [0,002-0,188] mg/l | 12 d | Fish (4-330d) | ECHA Dossier | READ ACROSS |
| | Algae toxicity | NOEC [0,01-0,05] mg/l | | algae (10-19d) | ECHA Dossier | READ ACROSS |
| | Crustacea toxicity | NOEC [0,004-0,145] mg/l | | daphnia (4-240d) | ECHA Dossier | READ ACROSS |

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|-----------|-------------------------------|---------|
| 4196-86-5 | Pentaerythritol tetrabenzoate | 6,189 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|-----------|-----------------|-----------|-----------------|--------|
| 7440-50-8 | Copper (< 1 mm) | 0,02 - 20 | Crangon crangon | |

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Balver Braid - Desoldering Flux coated braid

Revision date: 28/03/2023

Product code: 950815

Page 8 of 11

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

List of Wastes Code - residues/unused products

160303 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; inorganic wastes containing hazardous substances; hazardous waste

List of Wastes Code - used product

160303 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; inorganic wastes containing hazardous substances; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.

14.4. Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.

14.4. Packing group: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.

14.4. Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.

14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

refer to chapter 6 - 8

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Balver Braid - Desoldering Flux coated braid

Revision date: 28/03/2023

Product code: 950815

Page 9 of 11

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 75

2010/75/EU (VOC): No information available.

2004/42/EC (VOC): No information available.

Information according to 2012/18/EU (SEVESO III): E1 Hazardous to the Aquatic Environment

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): -

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 1,2,4,5,6,7,8,9,10,11,12,13,14,15,16.

22.03.2018; Rev. 1.0: Initial release

28.03.2023/JTH; Rev. 2.0: Changes in chapter: 1 - 16

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging of substances and mixtures

DNEL: Derived No Effect Level

d: day(s)

EINECS: European Inventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances

ECHA: European Chemicals Agency

EWC: European Waste Catalogue

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

h: hour

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NLP: No-Longer Polymers

N/A: not applicable

OECD: Organisation for Economic Co-operation and Development

PNEC: predicted no effect concentration

PBT: Persistent bioaccumulative toxic

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Balver Braid - Desoldering Flux coated braid

Revision date: 28/03/2023

Product code: 950815

Page 10 of 11

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 REACH: Registration, Evaluation, Authorisation of Chemicals
 SVHC: substance of very high concern
 TRGS: Technische Regeln für Gefahrstoffe
 UN: United Nations
 VOC: Volatile Organic Compounds
 CLP: Classification, labelling and Packaging
 REACH: Registration, Evaluation and Authorization of Chemicals
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
 UN: United Nations
 DNEL: Derived No Effect Level
 DMEL: Derived Minimal Effect Level
 PNEC: Predicted No Effect Concentration
 ATE: Acute toxicity estimate
 LL50: Lethal loading, 50%
 EL50: Effect loading, 50%
 EC50: Effective Concentration 50%
 ErC50: Effective Concentration 50%, growth rate
 NOEC: No Observed Effect Concentration
 BCF: Bio-concentration factor
 PBT: persistent, bioaccumulative, toxic
 vPvB: very persistent, very bioaccumulative
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 RID: Regulations concerning the international carriage of dangerous goods by rail
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
 EmS: Emergency Schedules
 MFAG: Medical First Aid Guide
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships
 IBC: Intermediate Bulk Container
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|-------------------------|--------------------------|
| Acute Tox. 4; H302 | Calculation method |
| Aquatic Acute 1; H400 | Calculation method |
| Aquatic Chronic 2; H411 | Calculation method |

Relevant H and EUH statements (number and full text)

| | |
|------|--|
| H302 | Harmful if swallowed. |
| H400 | Very toxic to aquatic life. |
| H411 | Toxic to aquatic life with long lasting effects. |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Balver Braid - Desoldering Flux coated braid

Revision date: 28/03/2023

Product code: 950815

Page 11 of 11

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)