



Lieferprogramm
product range



BALVER ZINN[®]
COBAR[®]



Anoden

Anodes

Standard – Anoden
Kundenspezifische Formen

standard anodes
customer specific anodes

| tin / wire galvanic | | chrome plating | |
|---------------------|---|--|---|
| alloy | delivery sizes | alloy | delivery sizes |
| Sn Pb | board: 200 x 10 x 100 – 6000 mm billet 85 x 60 x 100 – 1250 mm bowl: ø 50 mm pellets: ø 25 x 12 mm | Pb Sn Pb Sb Pb Sb Ag Pb Sn Ag Pb Sn Sb | round massive: ø 5 – 50 mm tube: di / Da13/10 – 55/40 mm reel: 100 – 6000 mm lang Profile Smooth on both sides Double-sided corrugated / ribbed One-sided corrugated / ribbed Dimensions on request |

Zusammensetzung: Ausschnitt aus EN 1179:2003

Composition: extract from EN 1179:2003

| varieties- classification | color coding | Composition in % (mass share) | | | | | | | |
|------------------------------|--------------|-------------------------------|---------------|---------------|---------------|---------------|---------------|---------------|--|
| | | nominal content | 1 | 2 | 3 | 4 | 5 | 6 | sum of the elements in the column 1-6 |
| | | | Pb | Cd | Fe | Sn | Cu | Al | |
| Z1 | white | 99.995 | max. 0.003 | max. 0.003 | max. 0.002 | max. 0.001 | max. 0.001 | max. 0.001 | 0.005 |

Lieferformen


Delivery forms

| standard alloy | dimension | packaging |
|------------------------------------|--|-----------------------|
| Zn 99.995 nach DIN EN 1179:2003 | solid sphere hemisphere pellets various boards various billets | customized on request |

BALVER ZINN[®]

SOLAR

NEU
Balver Zinn
ist jetzt auch im Segment
Solar und Photovoltaik zu
finden



Balver Zinn

Blintroper Weg 11, D-58802 Balve
Telefon: +49 (0) 23 75 - 915 0
Fax: +49 (0) 23 75 - 915 114

info@balverzinn.com
www.balverzinn.com

BALVER ZINN[®]
AQUASOL

BALVER ZINN[®]
INTRUSOL